

FUME CUPBOARD

TECHNICAL PARAMETERS

MODEL	DFH18
Work Surface Height	850 mm
Airflow Velocity	0.3-0.8 m/s, air speed adjustable
Front Window	Motorized
Max Opening	570 mm
Blower	Built-in centrifugal blower, speed adjustable
Noise	≤60 dB
UV Lamp	30 W, emission of 253.7 nm
LED Lamp	16 W
External Size	1800 x 800 x 2345 mm
Internal Size	1620 x 670 x 750 mm
Gross Weight	366 kg
Material	Front Window: 5 mm toughened glass Work Table: Chemical resistant phenolic resin Main Body and Base: Cold-rolled steel with anti-bacteria powder coating
Consumption	500 W
Power Supply	AC 110V±10%, 60Hz

DESCRIPTION

Fume Hood is used to protect operator from hazardous, corrosive, and toxic fumes which can be generated during chemical experiments. This cabinet protects operator from direct inhaling toxic vapors and dramatically reduces the risk of fire and explosion. By installing proper filter, it can also protect environment and prevent potentially dangerous substances from spreading into environment.



Ecoshel reserves all the rights to changes in product design, if there are any design change, we will not inform in advance.



STANDARD ACCESSORIES

1. Base cabinet
2. UV lamp
3. LED lamp
4. Water and gas taps
5. Water sink
6. Pipe strap
7. Exhaust duct

OPTIONAL ACCESSORY

1. Active carbon filter

KEY FEATURES

1. Easy-to-use soft keys of control panel.
2. Microprocessor control system, LED display.
3. Adjustable air speed: 9 levels.
4. Has two waterproof sockets.

Ecoshel reserves all the rights to changes in product design, if there are any design change, we will not inform in advance.